DISCRETE MATHEMATICS

MASTER INDEX VOLUMES 101–110

NORTH-HOLLAND

DISCRETE MATHEMATICS

EDITOR-IN-CHIEF Peter L. Hammer, New Brunswick (NJ)

ADVISORY EDITORS

C. Berge, Paris
P. Erdős, Budapest
B. Grünbaum, Seattle (WA)
M.A. Harrison, Berkeley (CA)
A.J. Hoffman, Yorktown Heights (NY)
V.L. Klee, Seattle (WA)
J.H. van Lint, Eindhoven
R.C. Mullin, Waterloo
G.-C. Rota, Cambridge (MA)
V.T. Sós-Turán, Budapest

BOARD OF EDITORS

M.S. Aigner, Berlin
B. Alspach, Burnaby
G.E. Andrews, Univ. Park (PA)
A. Barlotti, Firenze
C. Benzaken, Grenoble
J.-C. Bermond, Sophia-Antipolis
N.L. Biggs, London
B. Bollobás, Cambridge (UK)
R.A. Brualdi, Madison (WI)
T.H. Brylawski, Chapel Hill (NC)
P.J. Cameron, London
P. Camion, Le Chesnay
G. Chartrand, Kalamazoo (MI)
V. Chvátal, New Brunswick (NJ)
J. Doyen, Brussels
D. Foata, Strasbourg
A.S. Fraenkel, Rehovot
P. Frankl, Murray Hill (NJ)
A.M. Frieze, Pittsburgh (PA)
I.M. Gessel, Waltham (MA)
R.L. Graham, Murray Hill (NJ)
A. Hajnal, Budapest
F. Harary, Las Cruces (NM)
D.M. Jackson, Waterloo
J. Kahn, New Brunswick (NJ)
G.O.H. Katona, Budapest
D.J. Kleitman, Cambridge (MA)
L. Lovász, Budapest
E.C. Milner, Calgary
I. Rival, Ottawa
A. Rosa, Hamilton
S. Rudeanu, Bucharest
G. Sabidussi, Montreal
H. Sachs, Ilmenau
J. Schonheim, Tel-Aviv
M.P. Schützenberger, Paris
J.H. Spencer, New York (NY)
C. Thomassen, Lyngby
W.T. Tutte, Waterloo
D.J.A. Welsh, Oxford
R. Wille, Darmstadt
D.R. Woodall, Nottingham

PUBLICATIONS ASSISTANT Nelly Segal **DESK EDITOR** Mick van Gijlswijk

Subscription Information. Discrete Mathematics (ISSN 0012-365X) is published in 12 volumes (36 issues) a year. The subscription price for 1993 (Vols. 109–120) is Dfl. 3300.00 + Dfl. 396.00 p.p.h. = Dfl. 3696.00 (US$ 2227.00). (Combined subscription: Discrete Mathematics + Discrete Applied Mathematics (Vols. 41–47) = Dfl. 4465.00 + Dfl. 627.00 p.p.h. = Dfl. 5092.00.) The Dutch guilder price is definitive. The US dollar price is subject to exchange-rate fluctuations and is given only as a guide. Subscriptions are accepted on a prepaid basis only, unless different terms have been previously agreed upon. Subscription orders can be entered only by calendar year (Jan.–Dec.) and should be sent to Elsevier Science Publishers, Journal Department, P.O. Box 211, 1000 AE Amsterdam, Netherlands, telephone 31.20.5803642, fax 31.20.5803598, or to your usual subscription agent. Postage and handling charges include surface delivery except to the following countries where air delivery via SAL (Surface Air Lift) mail is ensured: Argentina, Australia, Brazil, Canada, China, Hong Kong, India, Israel, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For Japan air delivery (SAL) requires 25% additional charge of the normal postage and handling charge. For all other countries airmail rates are available upon request. Claims for missing issues must be made within six months of our publication (mailing) date, otherwise such claims cannot be honoured free of charge.

© 1993, Elsevier Science Publishers B.V. (North-Holland)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Publisher, Elsevier Science Publishers B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, Netherlands.

Special regulations for authors—Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA—This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This journal is printed on acid-free paper.
Published monthly 0012-365X/93/$06.00 Printed in the Netherlands

DISCRETE MATHEMATICS

DISCRETE MATHEMATICS

MASTER INDEX
VOLUMES 101–110

NORTH-HOLLAND–Amsterdam · London · New York · Tokyo

Abstracted/Indexed in: ACM Computing Reviews, Cambridge Scientific Abstracts, Current Contents: Physical, Chemical & Earth Sciences, International Abstracts in Operations Research, Mathematical Reviews, Science Citation Index.

© 1993, Elsevier Science Publishers B.V. All rights reserved

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Publisher, Elsevier Science Publishers B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, Netherlands.

Special regulations for authors—Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA—This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

0012-365X/93/$06.00

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This journal is printed on acid-free paper.
Printed in the Netherlands.

EDITOR-IN-CHIEF

Peter L. Hammer, *RUTCOR, Rutgers University Center for Operations Research, P.O. Box 5062, New Brunswick, NJ 08903-5062, USA*

ADVISORY EDITORS

C. Berge, *E.R. Combinatoire, Centre de Mathématique Sociale, 54 Boulevard Raspail, 75270 Paris Cedex 06, France*

P. Erdős, *Mathematical Institute, Hungarian Academy of Sciences, Reáltanoda u. 13–15, H-1053 Budapest, Hungary*

B. Grünbaum, *Department of Mathematics, University of Washington, C138, Badelford Hall, GN-50, Seattle, WA 98195, USA*

M.A. Harrison, *Computer Science Division, University of California, Berkeley, CA 94720, USA*

A.J. Hoffman, *IBM Thomas Watson Research Center, Mathematical Sciences Department, P.O. Box 218, Yorktown Heights, NY 10598, USA*

V.L. Klee, *Department of Mathematics, University of Washington, Seattle, WA 98195, USA*

J.H. van Lint, *Technische Universiteit, Insulindelaan 2, 5612 AZ Eindhoven, Netherlands*

R.C. Mullin, *Department of Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

G.-C. Rota, *Department of Mathematics, Massachusetts Institute of Technology, Cambridge, MA 02139, USA*

V.T. Sós-Turán, *Elke TTK Analisis 1, Mathematical Institute, Muzeum Krt. 6–8, H-Budapest 8, Hungary*

BOARD OF EDITORS

M.S. Aigner, *FB Mathematik, WE2, Freie Universität Berlin, Arnimallee 3, W-1000 Berlin 33, Germany*

B. Alspach, *Department of Mathematics & Statistics, Simon Fraser University, Burnaby, B.C., Canada V5A 1S6*

G.E. Andrews, *Department of Mathematics & Statistics, Pennsylvania State University, University Park, PA 16802, USA*

A. Barlotti, *Istituto Matematico "Ulisse Dini", Viale Morgagni 67/A, I-50134 Firenze, Italy*

C. Benzaken, *Institute of Advanced Mathematics, Scientific and Medical, University of Grenoble, BP 53X, 38041 Grenoble Cedex, France*

J.-C. Bermond, *Informatique, CNRS, URA 1376, 3 rue Einstein, Sophia-Antipolis, 06560 Valbonne, France*

N.L. Biggs, *Department of Mathematics, London School of Economics, Houghton Street, London, UK, WC2A 2AE*

B. Bollobás, *Department of Pure Mathematics & Mathematical Statistics, University of Cambridge, 16 Mill Lane, Cambridge, UK, CB2 1SB*

R.A. Brualdi, *Department of Mathematics, University of Wisconsin-Madison, 480 Lincoln Drive, Madison, WI 53706, USA*

T.H. Brylawski, *Department of Mathematics, University of North Carolina, Chapel Hill, NC 27514, USA*

P.J. Cameron, *School of Mathematical Sciences, Queen Mary College, University of London, Mile End Road, London, UK, E1 4NS*

P. Camion, *INRIA, Domaine de Volucean-Rocquencourt, BP 105, Le Chesnay Cedex 78153, France*

G. Chartrand, *Department of Mathematics, Western Michigan University, Kalamazoo, MI 49008, USA*

V. Chvátal, *Department of Computer Science, Rutgers University, New Brunswick, NJ 08903, USA*

J. Doyen, *Département de Mathématiques, Université de Bruxelles, Campus Plaine CP 216, Bd. du Triomphe, B-1050 Bruxelles, Belgium*

D. Foata, *Département Mathématique, Université Louis Pasteur, 7 rue René Descartes, F-67084 Strasbourg, France*

A.S. Fraenkel, *Department of Applied Mathematics, Weizmann Institute of Science, IL-76100 Rehovot, Israel*

P. Frankl, *AT&T Bell Laboratories, 600 Mountain Avenue, Room 6E-206, Murray Hill, NJ 07974, USA*

A.M. Frieze, *Department of Mathematics, Carnegie Mellon University, Pittsburgh, PA 15213, USA*

I.M. Gessel, *Department of Mathematics, Brandeis University, P.O. Box 9110, Waltham, MA 02254-9110, USA*

R.L. Graham, *AT&T Bell Laboratories, 600 Mountain Avenue, Room 2C-382, Murray Hill, NJ 07974, USA*

A. Hajnal, *Mathematical Institute, Hungarian Academy of Science, Reáltanoda u. 13–15, H-1053 Budapest, Hungary*

F. Harary, *Department of Computer Science, New Mexico State University, Las Cruces, NM 88003, USA*

D.M. Jackson, *Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

J. Kahn, *Department of Mathematics, Rutgers University, Hill Center, Busch Campus, New Brunswick, NJ 08903, USA*

G.O.H. Katona, *Matematik Kutato Intez, Magyar Tudomanyos Akad, Realtanoda u. 13–15, H-1053 Budapest, Hungary*

D.J. Kleitman, *Department of Mathematics, Massachusetts Institute of Technology, Cambridge, MA 02139, USA*

L. Lovász, *Mathematical Institute, Department of Computer Science, Eötvös Lorand University, Muzeum Krt. 6–8, H-1088 Budapest, Hungary*

E.C. Milner, *Department of Mathematics, University of Calgary, Calgary, Alta., Canada T2N 1N4*

I. Rival, *Department of Computer Science, University of Ottawa, Ottawa, Ont., Canada K1N 6N5*

A. Rosa, *Department of Mathematics, McMaster University, Hamilton, Ont., Canada L8S 4K1*

S. Rudeanu, *Institutei de Mathematica, University of Bucharest, Str. Academiei 14, 70109 Bucaresti, Romania*

G. Sabidussi, *Département de mathématiques et statistique, Université de Montréal, C.P. 6128 Succursale A, Montréal, Qué., Canada H3C 3J7*

H. Sachs, *TH/Sekt. Mathematik, Rechentechnik und Kybernetik, Postfach 327, O-6300 Ilmenau, Germany*

J. Schonheim, *Department of Mathematics, Tel Aviv University, Ramat Aviv, IL-Tel Aviv, Israel*

M.P. Schützenberger, *U.E.R. Mathématique, Université de Paris VII, 2, place Jussieu, F-75251 Paris Cedex 5, France*

J.H. Spencer, *The Courant Institute, New York University, 251 Mercer Street, New York, NY 10012, USA*

C. Thomassen, *Mathematical Institute, Technical University of Denmark, Building 303, DK-2800 Lyngby, Denmark*

W.T. Tutte, *Department of Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

D.J.A. Welsh, *Mathematical Institute, University of Oxford, 24–29 St. Giles, Oxford, UK, OX1 3LB*

R. Wille, *Fachbereich Mathematik, Technische Hochschule Darmstadt, Schlossgartenstrasse 7, W-6100 Darmstadt, Germany*

D.R. Woodall, *Department of Mathematics, University of Nottingham, University Park, Nottingham, UK, NG7 2RD*

List of referees: volumes 101–110

DISCRETE MATHEMATICS has continuously benefitted from the kind assistance of a great number of referees. We hereby express our gratitude for their sustained efforts, without which our activity could not have been carried out.

the editors

A. Adam
M. Aigner
Y. Alavi
M.O. Albertson
N. Alon
B. Alspach
E. Amaldi
D. Amar
G.E. Andrews
K.T. Arasu
D. Archdeacon
R. Askey

H.-J. Bandelt
F. Barahona
A. Barlotti
L.M. Batten
J. Beck
L.W. Beineke
A. Bekessy
E.A. Bender
C. Benzaken
C. Berge
J.-C. Bermond
J. Berstel
A. Beutelspacher
K. Bezdek
A. Bialostocki
D. Bienstock
T. Bier
A.J. Boals
K.P. Bogart
J. Bohm
E. Boros
A. Bouchet
A. Brandstadt
R.C. Brigham
G.R. Brightwell
A.E. Brouwer
J.I. Brown
R.A. Brualdi
A. Bruen
P. Butkovic

I. Cahit
J. Cai
P. Camion
E.R. Canfield
P.A. Catlin
P.V. Ceccherini
G. Chartrand
G. Chen
D.V. Chopra
F.R.K. Chung
V. Chvátal
D.M. Clark
C.J. Colbourn
M. Conforti
B. Courteau
W.H. Cunningham
D. Cvetkovic

C. Dang
D. de Caen
W. de Launey
M.J. de Resmini
D. de Werra
I.J. Dejter
C. Delorme
J. Denes
M. Deza
G. Di Battista
R. Diestel
G. Ding
J. Doignon
M. Doob
J. Doyen
A.W.M. Dress
N. Dubois
D. Duffus

R.C. Entringer
T. Etzion

U. Faigle
S. Fajtlowicz
G. Fan
O. Favaron
G. Fejes-Toth
M.R. Fellows
M. Ferri
S. Fiorini
P.C. Fishburn
P. Flajolet
D. Foata
S. Foldes
J. Fonlupt
J.L. Fouquet
J.C. Fournier
A.S. Fraenkel

A. Frank
A.M. Frieze
S. Fujishige
Z. Füredi
S. Furino

C. Gagliardi
J.A. Gallian
J. Gao
L.E. Garner
F. Gavril
I. Gessel
M. Gionfriddo
R.E. Giudici
J.-M. Goethals
M.C. Golumbic
I.P. Goulden
R.L. Graham
G. Gratzer
J.R. Griggs
C.M. Grinstead
P. Gritzmann
J.L. Gross
B. Grunbaum
A. Gyárfás

S.L. Hakimi
Y.O. Hamidoune
J. Hammer
P. Hanlon
H. Harborth
J. Harding
M.A. Harrison
A. Hartman
S.T. Hedetniemi
K. Heinrich
P. Hell
G.R.T. Hendry
A. Hertz
R. Hill
A.J.W. Hilton
D. Hobby
M. Hofri
K.W. Hoke
R. Holzman
D. Horrocks
D.L. Housman
G. Hurlbert
J.P. Hutchinson
F.K. Hwang

T. Ibaraki
G. Isaak
A.A. Ivanov

B. Jackson
D.M. Jackson
F. Jaeger
R.H. Jeurissen
P.D. Johnson
K.F. Jones
D. Jungnickel

J. Kahn
G. Kalai
G. Kalmbach
P. Kanellakis
M. Kano
M. Karonski
J.M. Keil
D. Kelly
A.K. Kelmans
A. Kerber
L. Khachiyan
C. Kimberling
D.J. Kleitman
R.R. Korfhage
A.V. Kostochka
A. Kotzig
I. Krasikov
D. Kratsch
G. Kreweras
M.S. Krishnamoorthy
P.V. Kumar
W. Kuperberg

G. Labelle
J.C. Lagarias
S. Landau
R. Laskar
B. Leclerc
C. Lee
J. Lee
H. Lefmann
J. Lehel
H. Lenz
P. Leroux
L.M. Lesniak
M. Lewinter
H. Li
K.-W. Lih
C. Lindner
B. Lindstrom
S.L.S. Lins
Liu Yanpei
L. Lovász

F. Maffray
S.S. Magliveras

N.V.R. Mahadev
J. Malkevitch
C. Mallows
Y. Manoussakis
O. Marcotte
G. Markowsky
R. Mathon
V.C. Mavron
E. Mayoraz
C. McDiarmid
S. McGuinness
B.D. McKay
A. Meir
N.S. Mendelsohn
R. Meshulam
D.M. Mesner
K. Metsch
H. Meyniel
D.J. Miller
W.H. Mills
J.A. Mitchem
A. Montpetit
O. Moreno
J.P. Morgan
P. Moszkowski
Y. Mottet
A.F. Mouyart
H.M. Mulder
V. Muller
R.C. Mullin
D. Mundici
K. Murota
J. Mykkeltveit
C.M. Mynhardt

J.B. Nation
H. Noltemeier
B. Novick

A. Odlyzko
S. Olariu
H. Oral
J.G. Oxley

J. Pach
K.R. Parthasarathy
C. Payan
R. Petreschi
K.T. Phelps
J. Plesnik
V.S. Pless
A. Pluhar
N. Polat

A. Pott
M. Pouzet
M. Preissmann
A. Prekopa
O. Pretzel

D. Rawlings
R.C. Read
K. Reuter
R.D. Ringeisen
G. Ringel
F. Robert
D. Robinson
R.W. Robinson
C. Rodger
A. Rosa
M. Rosenfeld
G.-C. Rota
U.G. Rothblum
G.F. Royle
G. Rozenberg
S. Rudeanu
F. Ruskey

G. Sabidussi
H. Sachs
J.-F. Sacle
B.E. Sagan
A. Salomaa
L. Santean
C. Savage
E.R. Scheinerman
R.H. Schelp
E. Schmitt
J. Schonheim
A. Schrijver
J.R. Seberry
A. Sebo
H. Servatius
P.D. Seymour
R. Shamir
H. Siemon
J.D.H. Smith
P. Solé
D. Sotteau
J.H. Spencer
R.P. Stanley
J.R. Stembridge
M. Stern
L.K. Stewart
M. Stiebitz
D.R. Stinson
K.B. Stolarsky
A.P. Street
S. Stueckle
D.P. Sumner
X. Sun
J. Suranyi
M.M. Sysło
W. Szpankoswki

L. Teirlinck
P. Terwilliger
C. Thomassen
V.D. Tonchev
W.T. Tutte
Z. Tuza

D. Ullman
G. Valette
J.H. van Lint
C. van Nuffelen
T.P. Vaughan
H.J. Veldman

W.D. Wallis
M.E. Watkins
E. Waymire
D.J.A. Welsh
D.B. West
A.T. White
D.E. White
E.G. Whitehead Jr
A.L. Whiteman
A.M. Wijetunga
H. Wilf
R. Willard
D.R. Witte
J. Wolfmann
D.R. Woodall
R.E. Woodrow
N.C. Wormald
M. Wozniak

M. Yannakakis

N. Zaguia
J. Zaks
D. Zeilberger
B. Zelinka
F.-J. Zhang
S. Znam

Master index of volumes 101–110

Aarts, E.H.L. and P.J.M. van Laarhoven, Local search in coding theory	106/107	(1992)	11– 18
Adamec, R., M. Klazar and P. Valtr, Generalized Davenport–Schinzel sequences with linear upper bound	108	(1992)	219–229
Adámek, J. and J. Rosický, On orthogonal subcategories of locally presentable categories	108	(1992)	133–137
Akkari, S., A minimal 3-connectedness result for matroids	103	(1992)	221–232
Alon, N. and D.J. Kleitman, Partitioning a rectangle into small perimeter rectangles	103	(1992)	111–119
Amar, D., A condition for a hamiltonian bipartite graph to be bipancyclic	102	(1992)	221–227
Amar, D., see Manoussakis, Y.	105	(1992)	157–172
Andersen, L.D., The strong chromatic index of a cubic graph is at most 10	108	(1992)	231–252
Arasu, K.T. and A. Pott, Cyclic affine planes and Paley difference sets	106/107	(1992)	19– 23
Archdeacon, D., The medial graph and voltage-current duality	104	(1992)	111–141
Assaf, A.M., A. Hartman and N. Shalaby, Packing designs with block size 6 and index 5	103	(1992)	121–128
Assmus Jr, E.F., On the Reed–Muller codes	106/107	(1992)	25– 33
Astié-Vidal, A. and V. Dugat, Near-homogeneous tournaments and permutation groups	102	(1992)	111–120
Aurenhammer, F. and J. Hagauer, Computing equivalence classes among the edges of a graph with applications	109	(1992)	3– 12
Baartmans, A., W. Wallis and J. Yucas, A geometric construction of the Steiner system $S(4, 7, 23)$	102	(1992)	177–186

Elsevier Science Publishers B.V.

Bača, M., On magic labelings of honeycomb (*Note*)	105	(1992)	305–311
Baggen, C.P.M.J., see Tolhuizen, L.M.G.M.	106/107	(1992)	483–488
Balcar, B. and P. Simon, Reaping number and π-character of Boolean algebras	108	(1992)	5– 12
Bandelt, H.-J., Graphs with edge-preserving majority functions	103	(1992)	1– 5
Bandelt, H.-J. and H.M. Mulder, Pseudo-median graphs are join spaces	109	(1992)	13– 26
Bang-Jensen, J. and B. Toft, Unsolved problems presented at the Julius Petersen Graph Theory Conference	101	(1992)	351–360
Bang-Jensen, J., P. Hell and G. MacGillivray, On the complexity of colouring by super-digraphs of bipartite graphs	109	(1992)	27– 44
Barcucci, E. and M.C. Verri, Some more properties of Catalan numbers	102	(1992)	229–237
Beasley, L.B. and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices	104	(1992)	143–157
Behrendt, G., Automorphism groups of posets with forbidden subposets	105	(1992)	1– 11
Bennett, F.E., K.T. Phelps, C.A. Rodger, J. Yin and L. Zhu, Existence of perfect Mendelsohn designs with $k = 5$ and $\lambda > 1$	103	(1992)	129–137
Bennett, F.E., K.T. Phelps, C.A. Rodger and L. Zhu, Constructions of perfect Mendelsohn designs	103	(1992)	139–151
Bialostocki, A. and P. Dierker, On the Erdős–Ginzburg–Ziv theorem and the Ramsey numbers for stars and matchings	110	(1992)	1– 8
Bienstock, D., On the complexity of testing for odd holes and induced odd paths (*Corrigendum*)	102	(1992)	109
Björner, A. and J. Karlander, Invertibility of the base Radon transform of a matroid	108	(1992)	139–147
Blahut, R.E., A note on binary cyclic codes of blocklength 63	106/107	(1992)	35– 43
Blinovsky, V.M., List decoding	106/107	(1992)	45– 51
Blokhuis, A. and A.E. Brouwer, Locally $K_{3,3}$ or Petersen graphs	106/107	(1992)	53– 60
Blokhuis, A. and T. Szőnyi, Note on the			

structure of semiovals in finite projective planes 106/107 (1992) 61– 65
Borodin, O.V., Diagonal coloring of the vertices of triangulations (*Note*) 102 (1992) 95– 96
Borodin, O.V. and J. Mayer, Decomposition of K_{13} into a torus graph and a graph imbedded in the Klein bottle (*Note*) 102 (1992) 97– 98
Böttcher, M. and U. Knauer, Endomorphism spectra of graphs 109 (1992) 45– 57
Bouwkamp, C.J., On some new simple perfect squared squares 106/107 (1992) 67– 75
Brouwer, A.E., see Blokhuis, A. 106/107 (1992) 53– 60
Brouwer, A.E and W.H. Haemers, Structure and uniqueness of the (81, 20, 1, 6) strongly regular graph 106/107 (1992) 77– 82
Brouwer, A.E., H.A. Wilbrink and W.H. Haemers, Some 2-ranks 106/107 (1992) 83– 92
Brown, J.I., A vertex critical graph without critical edges (*Note*) 102 (1992) 99–101
Brualdi, R.A., N. Cai and V.S. Pless, Orphan structure of the first-order Reed–Muller codes 102 (1992) 239–247
Bruen, A.A. and J.C. Fisher, An observation on certain point-line configurations in classical planes 106/107 (1992) 93– 96
Bugata, P., Trahtenbrot–Zykov problem and NP-completeness 108 (1992) 253–259
Burosch, G., I. Havel and J.-M. Laborde, Distance monotone graphs and a new characterization of hypercubes 110 (1992) 9– 16

Caccetta, L. and W.F. Smyth, Graphs of maximum diameter 102 (1992) 121–141
Cai, L. and D. Corneil, On cycle double covers of line graphs (*Note*) 102 (1992) 103–106
Cai, M., A remark on the number of vertices of degree k in a minimally k-edge-connected graph 104 (1992) 221–226
Cai, N., see Brualdi, R.A. 102 (1992) 239–247
Calderbank, A.R., Covering machines 106/107 (1992) 105–110
Cameron, K. and J. Edmonds, Coflow polyhedra 101 (1992) 1– 21

Cameron, P.J., Almost all quasigroups have rank 2 106/107 (1992) 111–115
Cameron, P.J. and A.M. Cohen, On the number of fixed point free elements in a permutation group 106/107 (1992) 135–138
Carducci, O.M., The strong perfect graph conjecture holds for diamonded odd cycle-free graphs 110 (1992) 17– 34
Caro, Y., On zero-sum Ramsey numbers—stars 104 (1992) 1– 6
Ceccherini, P.V. and J.W.P. Hirschfeld, The dimension of projective geometry codes 106/107 (1992) 117–126
Chen, D., C.C. Lindner and D.R. Stinson, Further results on large sets of disjoint group-divisible designs 110 (1992) 35– 42
Cheng, Z., see Hilton, A.J.W. 101 (1992) 135–147
Chen, W.Y.C. and G.-C. Rota, q-Analogs of the inclusion-exclusion principle and permutations with restricted position 104 (1992) 7– 22
Chung, F., P. Diaconis and R. Graham, Universal cycles for combinatorial structures 110 (1992) 43– 59
Clark, L.H., see Székely, L.A. 103 (1992) 293–300
Cochand, M., A. Gaillard and H. Gröflin, Lattice matrices, intersection of ring families and dicuts 110 (1992) 61– 80
Cohen, A.M. and B.N. Cooperstein, Generalized hexagons of even order 106/107 (1992) 139–146
Cohen, A.M., see Cameron, P.J. 106/107 (1992) 135–138
Cohen, G.D. and S.N. Litsyn, On the covering radius of Reed–Muller codes 106/107 (1992) 147–155
Cohn, J.H.E., A D-optimal design of order 102 (*Communication*) 102 (1992) 61– 65
Collatz, L., The 93 classes of equitilings of the plane with characteristics ≥ 3 102 (1992) 1– 11
Conforti, M. and M.R. Rao, Articulation sets in linear perfect matrices I: forbidden configurations and star cutsets 104 (1992) 23– 47
Conforti, M. and M.R. Rao, Articulation sets in linear perfect matrices II: the wheel theorem and clique articulations 110 (1992) 81–118
Cooperstein, B.N., see Cohen, A.M. 106/107 (1992) 139–146
Corneil, D., see Cai, L. 102 (1992) 103–106
Crama, Y., M. Loebl and S. Poljak, A

decomposition of strongly unimodular matrices into incidence matrices of digraphs 102 (1992) 143–147
Currie, J.D., Connectivity of distance graphs (*Note*) 103 (1992) 91– 94

Das, P.K. and A. Rosa, Halving Steiner triple systems 109 (1992) 59– 67
Davis, J.A., Construction of relative difference sets in p-groups 103 (1992) 7– 15
De Bruijn, N.G., Penrose patterns are almost entirely determined by two points 106/107 (1992) 97–104
De Clerck, F. and N.L. Johnson, Subplane covered nets and semipartial geometries 106/107 (1992) 127–134
de Graaf, M., A. Schrijver and P.D. Seymour, Directed triangles in directed graphs (*Note*) 110 (1992) 279–282
De Launey, W., Generalised Hadamard matrices which are developed modulo a group 104 (1992) 49– 65
Del Fra, A. and D. Ghinelli, Classification of extended generalized quadrangles with maximum diameter 105 (1992) 13– 23
del Greco, J.G., Characterizing bias matroids 103 (1992) 153–159
Dénes, J. and A.D. Keedwell, A new authentication scheme based on latin squares 106/107 (1992) 157–161
De Resmini, M.J., see Phelps, K.T. 104 (1992) 273–280
Deza, M. and M. Laurent, Extension operations for cuts 106/107 (1992) 163–179
Diaconis, P. and R. Graham, Binomial coefficient codes over GF(2) 106/107 (1992) 181–188
Diaconis, P., see Chung, F. 110 (1992) 43– 59
Dierker, P., see Bialostocki, A. 110 (1992) 1– 8
Dixon, J.D., Random sets which invariably generate the symmetric group 105 (1992) 25– 39
Dolinar, S., T.-M. Ko and R. McEliece, Some VLSI decompositions of the de Bruijn graph 106/107 (1992) 189–198
Douglas, R.J., NP-completeness and degree restricted spanning trees 105 (1992) 41– 47
Droms, C., B. Servatius and H. Servatius, Groups assembled from free and direct products 109 (1992) 69– 75
Dugat, V., see Astié-Vidal, A. 102 (1992) 111–120
Duke, R.A., P. Erdős and V. Rödl, Cycle-connected graphs 108 (1992) 261–278

Edmonds, J., see Cameron, K.	101	(1992)	1– 21
Egawa, Y. and P.D. Vestergaard, Spanning trees in a cactus (*Note*)	110	(1992)	269–274
Ekhad, S.B., see Parnes, S.	110	(1992)	263–264
Enomoto, H., H. Mizutani and N. Tokushige, A word problem in Artin semigroups	104	(1992)	159–166
Entringer, R.C., see Székely, L.A.	103	(1992)	293–300
Erdős, P. and A. Sárközy, Arithmetic progressions in subset sums	102	(1992)	249–264
Erdős, P., R.J. Faudree and C.C. Rousseau, Extremal problems involving vertices and edges on odd cycles	101	(1992)	23– 31
Erdős, P., see Duke, R.A.	108	(1992)	261–278
Erdős, P., T. Gallai and Zs. Tuza, Covering the cliques of a graph with vertices	108	(1992)	279–289
Ericson, T. and V. Zinoviev, On spherical codes generating the kissing number in dimensions 8 and 24	106/107	(1992)	199–207
Erné, M., The number of partially ordered sets with more points than incomparable pairs	105	(1992)	49– 60
Faudree, R.J., see Erdős, P.	101	(1992)	23– 31
Faudree, R.J., R.J. Gould, M.S. Jacobson, L.M. Lesniak and T.E. Lindquester, On independent generalized degrees and independence numbers in $K(1, m)$-free graphs	103	(1992)	17– 24
Faudree, R.J., R.J. Gould, M.S. Jacobson and L.M. Lesniak, Neighborhood unions and a generalization of Dirac's theorem	105	(1992)	61– 71
Fedeli, A., J. Reiterman and A. Tozzi, On w_ω-compactness	108	(1992)	13– 23
Feigenbaum, J. and A.A. Schäffer, Finding the prime factors of strong direct product graphs in polynomial time	109	(1992)	77–102
Fernández, A. and V. Müller, Embedding of a separable locally pseudoconvex algebra into a locally pseudoconvex algebra with two generators	108	(1992)	25– 30
Fiedler, M., An extremal problem for the spectral radius of a graph	108	(1992)	149–158
Fishburn, P.C. and W.T. Trotter, Linear extensions of semiorders: A maximization problem	103	(1992)	25– 40

Fisher, D.C. and J. Ryan, Bounds on the number of complete subgraphs (*Note*)	103	(1992)	313–320
Fisher, D.C. and J. Ryan, Bounds on the largest root of the matching polynomial (*Note*)	110	(1992)	275–278
Fisher, J.C., see Bruen, A.A.	106/107	(1992)	93– 96
Fleischner, H., Spanning eulerian subgraphs, the Splitting Lemma, and Petersen's Theorem	101	(1992)	33– 37
Fleischner, H. and M. Stiebitz, A solution to a colouring problem of P. Erdős	101	(1992)	39– 48
Fleischner, H., G. Sabidussi and E. Wenger, Transforming eulerian trails	109	(1992)	103–116
Foldes, S., I. Rival and J. Urrutia, Light sources, obstructions and spherical orders	102	(1992)	13– 23
Fonlupt, J., A.R. Mahjoub and J.P. Uhry, Compositions in the bipartite subgraph polytope	105	(1992)	73– 91
Francke, J. and J.J.H. Meijers, Super-visible codes	110	(1992)	119–134
Frank, A., On a theorem of Mader	101	(1992)	49– 57
Frankl, P., On cross-intersecting families	108	(1992)	291–295
Fröberg, R., A characterization of k-trees (*Note*)	104	(1992)	307–309
Füredi, Z. and P. Hajnal, Davenport–Schinzel theory of matrices	103	(1992)	233–251
Füredi, Z., Indecomposable regular graphs and hypergraphs	101	(1992)	59– 64
Gaillard, A., see Cochand, M.	110	(1992)	61– 80
Galeana-Sánchez, H., On the existence of kernels and h-kernels in directed graphs (*Communication*)	110	(1992)	251–255
Gallai, T., see Erdős, P.	108	(1992)	279–289
Gardiner, A.D., C.D. Godsil, A.D. Hensel and G.T. Royle, Second neighbourhoods of strongly regular graphs	103	(1992)	161–170
Gardiner, A., Almost rank three graphs	103	(1992)	253–257
Gerlits, J., A. Hajnal and Z. Szentmiklóssy, On the cardinality of certain Hausdorff spaces	108	(1992)	31– 35
Ghinelli, D., see Del Fra, A.	105	(1992)	13– 23
Gil, J., W. Steiger and A. Wigderson, Geometric medians	108	(1992)	37– 51

Godsil, C.D., see Gardiner, A.D.	103	(1992)	161–170
Golomb, S.W., Probability, information theory, and prime number theory	106/107	(1992)	219–229
Gould, R.J., see Faudree, R.J.	103	(1992)	17– 24
Gould, R.J., see Faudree, R.J.	105	(1992)	61– 71
Graham, R., see Diaconis, P.	106/107	(1992)	181–188
Graham, R., see Chung, F.	110	(1992)	43– 59
Griggs, J.R. and J.P. Hutchinson, On the r-domination number of a graph	101	(1992)	65– 72
Griggs, J.R. and M. Wu, Spanning trees in graphs of minimum degree 4 or 5	104	(1992)	167–183
Gröflin, H., see Cochand, M.	110	(1992)	61– 80
Gropp, H., Enumeration of regular graphs 100 years ago	101	(1992)	73– 85
Guo, X., see Zhang, F.	105	(1992)	285–291
Gu, W., see Reid, K.B.	101	(1992)	231–249
Gyárfás, A., Graphs with k odd cycle lengths	103	(1992)	41– 48
Györi, E. and M.D. Plummer, The Cartesian product of a k-extendable and an l-extendable graph is $(k+l+1)$-extendable	101	(1992)	87– 96
Hachenberger, D. and D. Jungnickel, Translation nets: a survey	106/107	(1992)	231–242
Haemers, W.H., see Brouwer, A.E.	106/107	(1992)	77– 82
Haemers, W.H., see Brouwer, A.E.	106/107	(1992)	83– 92
Hagauer, J., see Aurenhammer, F.	109	(1992)	3– 12
Hajnal, A., see Gerlits, J.	108	(1992)	31– 35
Hajnal, P., see Füredi, Z.	103	(1992)	233–251
Halin, R., Some finiteness results concerning separation in graphs	101	(1992)	97–106
Hall, J.I., Local indecomposability of certain geometric graphs	106/107	(1992)	243–254
Hamada, N. and T. Helleseth, A characterization of some $\{2v_{\alpha+1}+v_{\gamma+1},\ 2v_\alpha+v_\gamma;\ k-1, 3\}$-minihypers and some $(n, k, 3^{k-1}-2\cdot 3^\alpha-3^\gamma; 3)$-codes $(k\geq 3,\ 0\leq\alpha<\gamma<k-1)$ meeting the Griesmer bound	104	(1992)	67– 81
Hamidoune, Y.O., On a subgroup contained in some words with a bounded length	103	(1992)	171–176
Hamilton, G.M. and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets I: split systems	102	(1992)	25– 45

Hammer, J. and D.G. Sarvate, Generalizations of results of Stanton on BIBDs 102 (1992) 149–154
Hanson, D., A quick proof that $K_{10} \neq P + P + P$ 101 (1992) 107–108
Hanson, D., P. Wang and L.K. Jørgensen, On cages with given degree sets 101 (1992) 109–114
Hardin, R.H. and N.J.A. Sloane, New spherical 4-designs 106/107 (1992) 255–264
Hartman, A. and Z. Yehudai, Intersections of Steiner quadruple systems 104 (1992) 227–244
Hartman, A., see Assaf, A.M. 103 (1992) 121–128
Hart, M.R. and X. Yu, On a problem of Hendry (*Note*) 102 (1992) 107–108
Havel, I., see Burosch, G. 110 (1992) 9– 16
Haviland, J. and A. Thomason, On testing the 'pseudo-randomness' of a hypergraph (*Note*) 103 (1992) 321–327
Hayasaka, T., S. Saito and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets II: systems without splits 110 (1992) 135–154
Heden, O., On the modular n-queen problem 102 (1992) 155–161
Helleseth, T., see Hamada, N. 104 (1992) 67– 81
Helleseth, T., Projective codes meeting the Griesmer bound 106/107 (1992) 265–271
Hell, P. and D.J. Miller, Achromatic numbers and graph operations 108 (1992) 297–305
Hell, P. and J. Nešetřil, The core of a graph 109 (1992) 117–126
Hell, P., see Bang-Jensen, J. 109 (1992) 27– 44
Hemminger, R.L. and X. Yu, On 3-connected graphs with contractible edge covers of size k 101 (1992) 115–133
Hendry, G.R.T., An Ore-type sufficient condition for a bipancyclic ordering 102 (1992) 47– 49
Hensel, A.D., see Gardiner, A.D. 103 (1992) 161–170
Hill, R. and J.P. Karim, Searching with lies: the Ulam problem 106/107 (1992) 273–283
Hilton, A.J.W. and Z. Cheng, The chromatic index of a graph whose core has maximum degree two 101 (1992) 135–147
Hirschfeld, J.W.P., see Ceccherini, P.V. 106/107 (1992) 117–126
Hoàng, C.T. and F. Maffray, On slim graphs, even pairs, and star-cutsets 105 (1992) 93–102

Hoàng, C.T., F. Maffray, S. Olariu and M. Preissmann, A charming class of perfectly orderable graphs (*Communication*)	102	(1992)	67– 74
Hochstrasser, B., A note on Winkler's algorithm for factoring a connected graph	109	(1992)	127–132
Hoffman, A.J., On simple combinatorial optimization problems	106/107	(1992)	285–289
Hohberg, W., The decomposition of graphs into k-connected components	109	(1992)	133–145
Holroyd, F.C., Reconstructing finite group actions and characters from subgroup information (*Note*)	110	(1992)	283–287
Honkala, I., On lengthening of covering codes	106/107	(1992)	291–295
Hutchinson, J.P., see Griggs, J.R.	101	(1992)	65– 72
Imrich, W. and J. Nešetřil, Simple tournaments and sharply transitive groups	108	(1992)	159–165
Imrich, W. and S. Klavžar, Retracts of strong products of graphs	109	(1992)	147–154
Jackowski, Z., A new characterization of proper interval graphs	105	(1992)	103–109
Jackson, B., H. Li and Y. Zhu, Dominating cycles in regular 3-connected graphs	102	(1992)	163–176
Jacobson, M.S., see Faudree, R.J.	103	(1992)	17– 24
Jacobson, M.S., see Faudree, R.J.	105	(1992)	61– 71
Jaeger, F., A new invariant of plane bipartite cubic graphs	101	(1992)	149–164
Janson, S. and J. Kratochvíl, Thresholds for classes of intersection graphs	108	(1992)	307–326
Jech, J., The logarithmic distribution of leading digits and finitely additive measures	108	(1992)	53– 57
Jia, X.F., see Qiu, Y.	104	(1992)	201–204
Jirásek, J., Some remarks on Ádám's conjecture for simple directed graphs	108	(1992)	327–332
Johnson, K.W., Latin square determinants II	105	(1992)	111–130
Johnson, N.L., see De Clerck, F.	106/107	(1992)	127–134
Jørgensen, L.K., see Hanson, D.	101	(1992)	109–114
Jungnickel, D., see Hachenberger, D.	106/107	(1992)	231–242
Kantor, W.M., Kerdock codes and related planes	106/107	(1992)	297–302
Karim, J.P., see Hill, R.	106/107	(1992)	273–283

Karlander, J., see Björner, A.	108	(1992)	139–147
Kauffman, L. and S. Lins, Decomposition of the vertex group of 3-manifolds	103	(1992)	49– 55
Keedwell, A.D., see Dénes, J.	106/107	(1992)	157–161
Kierstead, H.A. and W.T. Trotter, Colorful induced subgraphs	101	(1992)	165–169
Klarner, D.A. and K. Post, Some fascinating integer sequences	106/107	(1992)	303–309
Klavžar, S., see Imrich, W.	109	(1992)	147–154
Klavžar, S., Two remarks on retracts of graph products	109	(1992)	155–160
Klazar, M., see Adamec, R.	108	(1992)	219–229
Kleinschmidt, P. and S. Onn, On the diameter of convex polytopes (*Communication*)	102	(1992)	75– 77
Kleitman, D.J., see Alon, N.	103	(1992)	111–119
Kløve, T., Support weight distribution of linear codes	106/107	(1992)	311–316
Knauer, U., see Böttcher, M.	109	(1992)	45– 57
Kocay, W., An extension of the multi-path algorithm for finding hamilton cycles	101	(1992)	171–188
Kochol, M., The notion and basic properties of M-transversals (*Note*)	104	(1992)	191–196
Kohayakawa, Y. and J. Wojciechowski, On small graphs with highly imperfect powers	104	(1992)	245–261
Kostochka, A.V., List edge chromatic number of graphs with large girth	101	(1992)	189–201
Ko, T.-M., see Dolinar, S.	106/107	(1992)	189–198
Kratochvíl, J., see Janson, S.	108	(1992)	307–326
Kříž, I., All trapezoids are Ramsey	108	(1992)	59– 62
Kuriki, S., System of equations related to the existence conditions for arrays	110	(1992)	155–164
Kwak, J.H. and J. Lee, Isomorphism classes of cycle permutation graphs	105	(1992)	131–142
Laborde, J.-M., see Burosch, G.	110	(1992)	9– 16
Lahtonen, J., An optimal polynomial for a covering radius problem (*Note*)	105	(1992)	313–317
Lai, H.-J. and C.-Q. Zhang, Nowhere-zero 3-flows of highly connected graphs	110	(1992)	179–183
Lai, H.-J. and H. Lai, Duality in graph families	110	(1992)	165–177
Lai, H., see Lai, H.-J.	110	(1992)	165–177

Landgev, I.N., On block designs with repeated blocks	106/107	(1992)	317–328
Landman, B.M., Ramsey functions related to the van der Waerden numbers	102	(1992)	265–278
Laurent, M., see Deza, M.	106/107	(1992)	163–179
Lee, J., see Kwak, J.H.	105	(1992)	131–142
Lempel, A., see Roth, R.M.	103	(1992)	279–292
Lenstra Jr, H.W., On the inverse Fermat equation	106/107	(1992)	329–331
Lesniak, L.M., see Faudree, R.J.	103	(1992)	17– 24
Lesniak, L.M., see Faudree, R.J.	105	(1992)	61– 71
Li, H., see Jackson, B.	102	(1992)	163–176
Li, H., see Zhu, Y.	110	(1992)	229–249
Lindner, C.C. and C.A. Rodger, 2-Perfect m-cycle systems	104	(1992)	83– 90
Lindner, C.C., see Chen, D.	110	(1992)	35– 42
Lindquester, T.E., see Faudree, R.J.	103	(1992)	17– 24
Lins, S., see Kauffman, L.	103	(1992)	49– 55
Li, N.-Z. and E.G. Whitehead Jr, The chromatic uniqueness of W_{10} (*Note*)	104	(1992)	197–199
Li, N.-Z., On graphs having σ-polynomials of the same degree	110	(1992)	185–196
Litsyn, S.N., see Cohen, G.D.	106/107	(1992)	147–155
Liu, D.D.-F., T-colorings of graphs	101	(1992)	203–212
Lobstein, A.C., On perfect arithmetic codes	106/107	(1992)	333–336
Loeb, D.E., A generalization of the Stirling numbers	103	(1992)	259–269
Loeb, D.E., A generalization of the binomial coefficients	105	(1992)	143–156
Loebl, M., see Crama, Y.	102	(1992)	143–147
Loebl, M., Unprovable combinatorial statements	108	(1992)	333–342
Lorimer, P.J. and W. Solomon, The Ramsey numbers for stripes and complete graphs 1	104	(1992)	91– 97
Lu, X., A characterization on n-critical economical generalized tic-tac-toe games	110	(1992)	197–203
MacGillivray, G., see Bang-Jensen, J.	109	(1992)	27– 44
Maehara, H., Extending a flexible unit-bar framework to a rigid one	108	(1992)	167–174
Maffray, F., see Hoàng, C.T.	102	(1992)	67– 74
Maffray, F., see Hoàng, C.T.	105	(1992)	93–102

Mahjoub, A.R., see Fonlupt, J.	105	(1992)	73– 91
Malouf, J.L., An integer sequence from a rational recursion (*Communication*)	110	(1992)	257–261
Manoussakis, Y. and D. Amar, Hamiltonian paths and cycles, number of arcs and independence number in digraphs	105	(1992)	157–172
Marušič, D. and R. Scapellato, A class of non-Cayley vertex-transitive graphs associated with PSL(2, p)	109	(1992)	161–170
Marušič, D., R. Scapellato and N. Zagaglia Salvi, Generalized Cayley graphs	102	(1992)	279–285
Massey, J.L., Linear codes with complementary duals	106/107	(1992)	337–342
Matoušek, J. and R. Thomas, On the complexity of finding iso- and other morphisms for partial k-trees	108	(1992)	343–364
Mattson Jr, H.F., Fault-detection in networks	106/107	(1992)	343–352
Maurin, F., Balanced generalized handcuffed designs	110	(1992)	205–213
Mayer, J., Conjecture de Hadwiger: $k = 6$. II—Réductions de sommets de degré 6 dans les graphes 6-chromatiques contraction-critiques	101	(1992)	213–222
Mayer, J., see Borodin, O.V.	102	(1992)	97– 98
McCuaig, W., Cycles through edges in cyclically k-connected cubic graphs (*Note*)	103	(1992)	95– 98
McEliece, R., see Dolinar, S.	106/107	(1992)	189–198
McQuillan, D. and R.B. Richter, On the crossing numbers of certain generalized Petersen graphs (*Note*)	104	(1992)	311–320
Meijers, J.J.H., see Francke, J.	110	(1992)	119–134
Metsch, K., Linear spaces with few lines	110	(1992)	215–222
Middendorf, M. and F. Pfeiffer, The max clique problem in classes of string-graphs	108	(1992)	365–372
Miller, D.J., see Hell, P.	108	(1992)	297–305
Mizutani, H., see Enomoto, H.	104	(1992)	159–166
Mohar, B., Laplace eigenvalues of graphs—a survey	109	(1992)	171–183
Moss, L.S., Distanced graphs	102	(1992)	287–305
Mulder, H.M., see Bandelt, H.-J.	109	(1992)	13– 26
Müller, V., see Fernández, A.	108	(1992)	25– 30
Myrvold, W., The degree sequence is reconstructible from $n - 1$ cards	102	(1992)	187–196

Nešetřil, J. and V. Rödl, On Ramsey graphs without bipartite subgraphs 101 (1992) 223–229
Nešetřil, J., see Imrich, W. 108 (1992) 159–165
Nešetřil, J., see Hell, P. 109 (1992) 117–126
Neumaier, A., Completely regular codes 106/107 (1992) 353–360
Niederhausen, H., Fast Lagrange inversion, with an application to factorial numbers 104 (1992) 99–110
Niederreiter, H., Orthogonal arrays and other combinatorial aspects in the theory of uniform point distributions in unit cubes 106/107 (1992) 361–367
Nowitz, L.A., A non-Cayley-invariant Cayley graph of the elementary Abelian group of order 64 110 (1992) 223–228
Nýdl, V., Finite undirected graphs which are not reconstructible from their large cardinality subgraphs 108 (1992) 373–377

Olariu, S., On sources in comparability graphs, with applications (*Note*) 110 (1992) 289–292
Olariu, S., see Hoàng, C.T. 102 (1992) 67– 74
Onn, S., see Kleinschmidt, P. 102 (1992) 75– 77
Oral, H., Self-orthogonal codes with distance four are not rigid 104 (1992) 263–271
Oxley, J. and G. Whittle, Connectivity of submodular functions 105 (1992) 173–184
Oxley, J.G. and D.J.A. Welsh, Tutte polynomials computable in polynomial time 109 (1992) 185–192

Pallo, J.M., Une bijection entre arbres binaires et certaines matrices de Jacobi (*Note*) 103 (1992) 99–101
Parnes, S. and S.B. Ekhad, A WZ-style proof of Jacobi polynomials' generating function (*Communication*) 110 (1992) 263–264
Paseka, J., Products in the category of locales: which properties are preserved? 108 (1992) 63– 73
Payan, C., On the chromatic number of cube-like graphs 103 (1992) 271–277
Payan, C., see Sun, S.X. 102 (1992) 79– 83
Peck, G.W. and A. Shastri, Bandwidth of theta graphs with short paths 103 (1992) 177–187
Pelant, J. and V. Rödl, On coverings of infinite-dimensional metric spaces 108 (1992) 75– 81

Pellikaan, R., On decoding by error location and dependent sets of error positions	106/107	(1992)	369–381
Pfeiffer, F., see Middendorf, M.	108	(1992)	365–372
Phelps, K.T. and M.J. de Resmini, Partitioning twofold triple systems into complete arcs	104	(1992)	273–280
Phelps, K.T., see Bennett, F.E.	103	(1992)	129–137
Phelps, K.T., see Bennett, F.E.	103	(1992)	139–151
Picardello, M.A., M.H. Taibleson and W. Woess, Harmonic measure of the planar Cantor set from the viewpoint of graph theory	109	(1992)	193–202
Piper, F. and P. Wild, Incidence structures applied to cryptography	106/107	(1992)	383–389
Pisanski, T., Orientable quadrilateral embeddings of products of graphs	109	(1992)	203–205
Pless, V., More on the uniqueness of the Golay codes	106/107	(1992)	391–398
Pless, V.S., see Brualdi, R.A.	102	(1992)	239–247
Plummer, M.D., see Győri, E.	101	(1992)	87– 96
Plummer, M.D., Extending matchings in planar graphs IV	109	(1992)	207–219
Polat, N., A minimax theorem for infinite graphs with ideal points	103	(1992)	57– 65
Polat, N., Similarity and asymmetrization of trees	109	(1992)	221–238
Poljak, S. and D. Turzík, Max-cut in circulant graphs	108	(1992)	379–392
Poljak, S., see Crama, Y.	102	(1992)	143–147
Post, K., see Klarner, D.A.	106/107	(1992)	303–309
Pott, A., see Arasu, K.T.	106/107	(1992)	19– 23
Préa, P., Graphs and topologies on discrete sets	103	(1992)	189–197
Preissmann, M., see Hoàng, C.T.	102	(1992)	67– 74
Prisner, E., Convergence of iterated clique graphs	103	(1992)	199–207
Prömel, H.J. and B. Voigt, From wqo to bqo, via Ellentuck's theorem	108	(1992)	83–106
Pták, V., Thickness of families of sets and a minimax lemma	108	(1992)	175–181
Pullman, N.J., see Beasley, L.B.	104	(1992)	143–157
Pultr, A., Notes on an extension of the structure of frame	108	(1992)	107–114

Pultr, A., On Sabidussi–Fawcett subdirect representation 109 (1992) 239–253

Qiu, Y. and X.F. Jia, The maximum size of graphs satisfying a degree condition (*Note*) 104 (1992) 201–204

Rao, M.R., see Conforti, M. 104 (1992) 23– 47
Rao, M.R., see Conforti, M. 110 (1992) 81–118
Ray-Chaudhuri, D.K. and T. Zhu, A recursive method for construction of designs 106/107 (1992) 399–406
Ray, N. and C. Wright, Umbral interpolation and the addition/contraction tree for graphs 103 (1992) 67– 74
Razborov, A.A., The gap between the chromatic number of a graph and the rank of its adjacency matrix is superlinear 108 (1992) 393–396
Recski, A., Applications of combinatorics to statics—a second survey 108 (1992) 183–188
Reid, K.B. and W. Gu, Plurality preference digraphs realized by trees, II: On realization numbers 101 (1992) 231–249
Reiterman, J., see Fedeli, A. 108 (1992) 13– 23
Richter, R.B., see McQuillan, D. 104 (1992) 311–320
Rival, I. and J. Urrutia, Representing orders by moving figures in space 109 (1992) 255–263
Rival, I., see Foldes, S. 102 (1992) 13– 23
Rodger, C.A., see Bennett, F.E. 103 (1992) 129–137
Rodger, C.A., see Bennett, F.E. 103 (1992) 139–151
Rodger, C.A., see Lindner, C.C. 104 (1992) 83– 90
Rodionov, V.I., On the number of labeled acyclic digraphs (*Note*) 105 (1992) 319–321
Rödl, V., see Duke, R.A. 108 (1992) 261–278
Rödl, V., see Nešetřil, J. 101 (1992) 223–229
Rödl, V., see Pelant, J. 108 (1992) 75– 81
Rogers, D.G., see Hamilton, G.M. 102 (1992) 25– 45
Rogers, D.G., see Hayasaka, T. 110 (1992) 135–154
Rosa, A., see Das, P.K. 109 (1992) 59– 67
Rosický, J., see Adámek, J. 108 (1992) 133–137
Rota, G.-C., see Chen, W.Y.C. 104 (1992) 7– 22
Roth, R.M. and A. Lempel, *t*-Sum generators of finite Abelian groups 103 (1992) 279–292
Rousseau, C.C., see Erdős, P. 101 (1992) 23– 31
Royle, G.T., see Gardiner, A.D. 103 (1992) 161–170

Ruciński, A., Matching and covering the vertices of a random graph by copies of a given graph	105	(1992)	185–197
Ryan, J., see Fisher, D.C.	103	(1992)	313–320
Ryan, J., see Fisher, D.C.	110	(1992)	275–278
Sabidussi, G., Binary invariants and orientations of graphs	101	(1992)	251–277
Sabidussi, G., see Fleischner, H.	109	(1992)	103–116
Sachs, H., How to calculate the number of perfect matchings in finite sections of certain infinite plane graphs	101	(1992)	279–284
Sachs, H., see Wang, T.	104	(1992)	281–292
Saito, A., Cycles of length 2 modulo 3 in graphs	101	(1992)	285–289
Saito, S., see Hayasaka, T.	110	(1992)	135–154
Sárközy, A., see Erdős, P.	102	(1992)	249–264
Sarvate, D.G., see Hammer, J.	102	(1992)	149–154
Scapellato, R., see Marušič, D.	102	(1992)	279–285
Scapellato, R., see Marušič, D.	109	(1992)	161–170
Schäffer, A.A., see Feigenbaum, J.	109	(1992)	77–102
Schalkwijk, J.P.M., Some aspects of the information theoretic dialogue	106/107	(1992)	407–413
Schrijver, A., Circuits in graphs embedded on the torus	106/107	(1992)	415–433
Schrijver, A., see de Graaf, M.	110	(1992)	279–282
Seidel, J.J., A note on path-zero graphs	106/107	(1992)	435–438
Servatius, H., An Artin relation of length n in the braid group	104	(1992)	185–189
Servatius, B., see Droms, C.	109	(1992)	69– 75
Servatius, H., see Droms, C.	109	(1992)	69– 75
Seyffarth, K., Hajós' conjecture and small cycle double covers of planar graphs	101	(1992)	291–306
Seymour, P.D., see de Graaf, M.	110	(1992)	279–282
Shalaby, N., see Assaf, A.M.	103	(1992)	121–128
Shao, J. and W. Wei, A formula for the number of Latin squares (*Note*)	110	(1992)	293–296
Shastri, A., see Peck, G.W.	103	(1992)	177–187
Sheehan, J., Balanced graphs with minimum degree constraints	102	(1992)	307–314
Shi, Y., The number of edges in a maximum cycle-distributed graph (*Note*)	104	(1992)	205–209
Simon, P., see Balcar, B.	108	(1992)	5– 12

Simonis, J., The [18, 9, 6] code is unique	106/107	(1992)	439–448
Širáň, J. and M. Škoviera, Groups with sign structure and their antiautomorphisms	108	(1992)	189–202
Širáň, J., see Škoviera, M.	109	(1992)	265–276
Škoviera, M., see Širáň, J.	108	(1992)	189–202
Škoviera, M. and J. Širáň, Regular maps from Cayley graphs, Part 1: Balanced Cayley maps	109	(1992)	265–276
Sloane, N.J.A., see Hardin, R.H.	106/107	(1992)	255–264
Smith, J.D.H., Quasigroups and quandles	109	(1992)	277–282
Smyth, W.F., see Caccetta, L.	102	(1992)	121–141
Solomon, W., see Lorimer, P.J.	104	(1992)	91– 97
Spence, E., Is Taylor's graph geometric?	106/107	(1992)	449–454
Spence, E. and Tonchev, V.D., Extremal self-dual codes from symmetric designs (*Communication*)	110	(1992)	265–268
Steiger, W., see Gil, J.	108	(1992)	37– 51
Stevenson, R.A., Dilworth truncations and k-induced matroids	105	(1992)	199–205
Stiebitz, M., On Hadwiger's number—A problem of the Nordhaus–Gaddum type	101	(1992)	307–317
Stiebitz, M., see Fleischner, H.	101	(1992)	39– 48
Stinson, D.R. and Y.J. Wei, Some results on quadrilaterals in Steiner triple systems	105	(1992)	207–219
Stinson, D.R., see Chen, D.	110	(1992)	35– 42
Storme, L. and J.A. Thas, Complete k-arcs in PG(n, q), q even	106/107	(1992)	455–469
Sun, S.X. and C. Payan, Sur l'immersion gracieuse de K_N dans Q_n (*Communication*)	102	(1992)	79– 83
Sun, Z.-W., On disjoint residue classes (*Note*)	104	(1992)	321–326
Su, X.-Y., A result on decompositions of regular graphs (*Note*)	105	(1992)	323–326
Székely, L.A., L.H. Clark and R.C. Entringer, An inequality for degree sequences	103	(1992)	293–300
Szentmiklóssy, Z., see Gerlits, J.	108	(1992)	31– 35
Szőnyi, T., see Blokhuis, A.	106/107	(1992)	61– 65
Taibleson, M.H., see Picardello, M.A.	109	(1992)	193–202
Tan, E.L., Some notes on cycle graphs	105	(1992)	221–226
Tanny, S.M., A well-behaved cousin of the Hofstadter sequence	105	(1992)	227–239
Tardif, C., Prefibers and the cartesian product of metric spaces	109	(1992)	283–288

Thas, J.A., see Storme, L.	106/107	(1992)	455–469
Thomas, R., see Matoušek, J.	108	(1992)	343–364
Thomason, A., see Haviland, J.	103	(1992)	321–327
Tietäväinen, A., On the cardinality of sets of sequences with given maximum correlation	106/107	(1992)	471–477
Tkáč, M., Shortness coefficients of simple 3-polytopal graphs with edges of only two types (*Note*)	103	(1992)	103–110
Toft, B., see Bang-Jensen, J.	101	(1992)	351–360
Tokushige, N., see Enomoto, H.	104	(1992)	159–166
Tolhuizen, L.M.G.M. and C.P.M.J. Baggen, On the weight enumerator of product codes	106/107	(1992)	483–488
Tomescu, I., Ordered h-hypertrees	105	(1992)	241–248
Tonchev, V.D., Some small non-embeddable designs	106/107	(1992)	489–492
Tonchev, V.D. and S.A. Vanstone, On Kirkman triple systems of order 33	106/107	(1992)	493–496
Tonchev, V.D., see Spence, E.	110	(1992)	265–268
Tozzi, A., see Fedeli, A.	108	(1992)	13– 23
Trnková, V., Endomorphisms of undirected modifications of directed graphs	108	(1992)	203–209
Trotter, W.T., see Kierstead, H.A.	101	(1992)	165–169
Trotter, W.T., see Fishburn, P.C.	103	(1992)	25– 40
Truszczynski, M. and Z. Tuza, Rado's Selection Principle: applications to binary relations, graph and hypergraph colorings and partially ordered sets	103	(1992)	301–312
Turzík, D., see Poljak, S.	108	(1992)	379–392
Tuza, Z., Asymptotic growth of sparse saturated structures is locally determined	108	(1992)	397–402
Tuza, Z., see Truszczynski, M.	103	(1992)	301–312
Tuza, Z., see Erdős, P.	108	(1992)	279–289
Ueda, T., Circular nonsingular threshold transformations	105	(1992)	249–258
Uhry, J.P., see Fonlupt, J.	105	(1992)	73– 91
Urrutia, J., see Foldes, S.	102	(1992)	13– 23
Urrutia, J., see Rival, I.	109	(1992)	255–263
Valtr, P., see Adamec, R.	108	(1992)	219–229
Valtr, P., Sets in $\mathbb{R}^d$ with no large empty convex subsets	108	(1992)	115–124

Van der Geer, G. and M. van der Vlugt, Weight distributions for a certain class of codes and maximal curves	106/107	(1992)	209–218
Van der Vlugt, M., see Van der Geer, G.	106/107	(1992)	209–218
Van Laarhoven, P.J.M., see Aarts, E.H.L.	106/107	(1992)	11– 18
Van Tilborg, H.C.A., Fire codes revisited	106/107	(1992)	479–482
Vanstone, S.A., see Tonchev, V.D.	106/107	(1992)	493–496
Veldman, H.J., Cycles containing many vertices of large degree	101	(1992)	319–325
Verri, M.C., see Barcucci, E.	102	(1992)	229–237
Vestergaard, P.D., see Egawa, Y.	110	(1992)	269–274
Vinárek, J., Simultaneous representations of groups	108	(1992)	211–216
Voigt, B., see Prömel, H.J.	108	(1992)	83–106
Vojtáš, P., Cardinalities of noncentered systems of subsets of ω	108	(1992)	125–129
Wagner, D.G., On the perfect one-factorization conjecture (*Note*)	104	(1992)	211–215
Wallis, W., see Baartmans, A.	102	(1992)	177–186
Wang, P., see Hanson, D.	101	(1992)	109–114
Wang, T. and H. Sachs, A contribution to the theory of Tutte's V- and W-function	104	(1992)	281–292
Watkins, M.E., Some conditions for 1-transitivity	109	(1992)	289–296
Weichsel, P.M., Distance regular subgraphs of a cube	109	(1992)	297–306
Wei, W., see Shao, J.	110	(1992)	293–296
Wei, Y.J., see Stinson, D.R.	105	(1992)	207–219
Welsh, D.J.A., see Oxley, J.G.	109	(1992)	185–192
Wenger, E., see Fleischner, H.	109	(1992)	103–116
Whitehead Jr, E.G., see Li, N.-Z.	104	(1992)	197–199
Whittle, G., see Oxley, J.	105	(1992)	173–184
Wigderson, A., see Gil, J.	108	(1992)	37– 51
Wilbrink, H.A., see Brouwer, A.E.	106/107	(1992)	83– 92
Wild, P., see Piper, F.	106/107	(1992)	383–389
Wilkeit, E., The retracts of Hamming graphs	102	(1992)	197–218
Wiseman, J.A., On the intersection rank of a graph	104	(1992)	293–305
Woess, W., see Picardello, M.A.	109	(1992)	193–202
Wojciechowski, J., see Kohayakawa, Y.	104	(1992)	245–261
Wójcik, P., Density of union-closed families	105	(1992)	259–267

Wolf, J.K., Efficient circuits for multiplying in GF(2^m) for certain values of m	106/107	(1992)	497–502
Woodall, D.R., An inequality for chromatic polynomials	101	(1992)	327–331
Woodall, D.R., A zero-free interval for chromatic polynomials	101	(1992)	333–341
Woodall, D.R., Local and global proportionality	102	(1992)	315–328
Woodall, D.R., Cycle lengths and circuit matroids of graphs	105	(1992)	269–273
Wood, J.H., Is every compact code Huffman? (*Note*)	110	(1992)	297–299
Wright, C., see Ray, N.	103	(1992)	67– 74
Wu, M., see Griggs, J.R.	104	(1992)	167–183
Xu, S., The chromatic uniqueness of complete bipartite graphs (*Corrigendum*)	104	(1992)	217
Yamada, M., Supplementary difference sets and Jacobi sums	103	(1992)	75– 90
Yehudai, Z., see Hartman, A.	104	(1992)	227–244
Yin, J., see Bennett, F.E.	103	(1992)	129–137
Youngs, D.A., Gallai's problem on Dirac's construction	101	(1992)	343–350
Yucas, J., see Baartmans, A.	102	(1992)	177–186
Yu, Q., Classifying 2-extendable generalized Petersen graphs	103	(1992)	209–220
Yu, X., Cyclomatic numbers of connected induced subgraphs	105	(1992)	275–284
Yu, X., Ends in spanning trees (*Note*)	104	(1992)	327–328
Yu, X., On several symmetry conditions for graphs	102	(1992)	51– 59
Yu, X., see Hart, M.R.	102	(1992)	107–108
Yu, X., see Hemminger, R.L.	101	(1992)	115–133
Zagaglia Salvi, N., see Marušič, D.	102	(1992)	279–285
Zaks, J., Uniform distances in rational unit-distance graphs	109	(1992)	307–311
Zeilberger, D., A proof of Julian West's conjecture that the number of two-stack-sortable permutations of length n is $2(3n)!/((n+1)!(2n+1)!)$ (*Communication*)	102	(1992)	85– 93
Zhang, C.-Q., see Lai. H.-J.	110	(1992)	179–183

Zhang, F. and X. Guo, Reducible chains in several types of 2-connected graphs 105 (1992) 285–291
Zhu, L., see Bennett, F.E. 103 (1992) 129–137
Zhu, L., see Bennett, F.E. 103 (1992) 139–151
Zhu, T., see Ray-Chaudhuri, D.K. 106/107 (1992) 399–406
Zhu, Y. and H. Li, Hamilton cycles in regular 3-connected graphs 110 (1992) 229–249
Zhu, Y., see Jackson, B. 102 (1992) 163–176
Zinoviev, V., see Ericson, T. 106/107 (1992) 199–207
Zverovich, I.E. and V.E. Zverovich, Contributions to the theory of graphic sequences 105 (1992) 293–303
Zverovich, V.E., see Zverovich, I.E. 105 (1992) 293–303

Scope of the Journal

The aim of this journal is to bring together research papers in different areas of discrete mathematics. Contributions presented to the journal can be research papers, short notes, surveys, and possibly research problems. The 'Communications' section will be devoted to the fastest possible publication of the brief outlines of recent research results, the detailed presentation of which might be submitted for possible publication in DISC or elsewhere. The journal will also publish a limited number of book announcements, as well as proceedings of conferences. The journal will publish papers in combinatorial mathematics and related areas. In particular, graph and hypergraph theory, network theory, coding theory, block designs, lattice theory, the theory of partially ordered sets, combinatorial geometries, matroid theory, extremal set theory, logic and automata, matrices, polyhedra, discrete probability theory, etc. shall be among the fields covered by the journal.

Instructions to contributors

All contributions should be written in English or French, should have an abstract in English (as well as one in French if the paper is written in French), and—with the exception of Communications—should be sent in triplicate to Nelly Segal, Publications Assistant, RUTCOR, Rutgers University Center for Operations Research, P.O. Box 5062, New Brunswick, NJ 08903-5062, USA. The authors are requested to put their mailing address on the manuscript.

Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Manuscripts submitted for the Communications section, having at most 5 typewritten pages, should be sent to a member of the editorial board in triplicate. Detailed proofs do not have to be included, but results must be accompanied at least by rough outlines of their proofs. Subsequent publication in this journal or elsewhere of the full text of a research report, the outline of which has been published in the Communications section of our journal, is not excluded. Every effort shall be made for the fastest possible publication of Communications. Therefore all proofreading will be done by the Publisher's staff and no proofs will be sent to authors. Consequently the presentation of these manuscripts should be very clear. No page charge is made.

Please make sure that the paper is submitted in its final form. Corrections in the proofstage, other than of printer's errors, should be avoided; costs arising from such extra corrections will be charged to the authors.

The manuscript should be prepared for publication in accordance with instructions given in the 'Instructions to Authors' (available from the Publisher) details of which are condensed below:

1. The manuscript must be typed on one side of the paper in double spacing with wide margins. A duplicate copy should be retained by the author.
2. All mathematical symbols which are not typewritten should be listed separately.
3. Footnotes, which should be kept to a minimum and should be brief, must be numbered consecutively and typed on a separate sheet in the same format as the main text.
4. Special care should be given to the preparation of the drawings for figures and diagrams. Except for a reduction in size, they will appear in the final printing in exactly the same form as they were submitted by the author; normally they will not be redrawn by the printer. In order to make a photographic reproduction possible, all drawings should be on separate sheets, with wide margins, drawn large size, in Indian ink, and carefully lettered. Exceptions are diagrams only containing formulae and a small number of single straight lines (or arrows); these can be typeset by the printer.
5. References should be listed alphabetically, in the same way as the following examples:
   For a book: W.K. Chen, Applied Graph Theory (North-Holland, Amsterdam, 1971).
   For a paper in a journal: J. Rhodes and B.R. Tilson, Lower bounds for complexity of finite semigroups, J. Pure Appl. Algebra 1 (1971) 79–95.
   For a paper in a contributed volume: M.O. Rabin, Weakly definable relations and special automata, in: Y. Bar-Hillel, ed., Mathematical Logic and Foundations of Set Theory (North-Holland, Amsterdam, 1970) 1–23.
   For an unpublished paper: D. Allen, Relations between the local and global structure of finite semigroups, Ph.D. Thesis, University of California, Berkeley, CA, 1968.

Author's benefits

1. 30% discount on all book publications of North-Holland.
2. 50 reprints are provided free of charge to the principal author of each paper published.

US mailing notice—Discrete Mathematics (0012-365x) is published monthly by Elsevier Science Publishers (Molenwerf 1, Postbus 211, 1000 AE Amsterdam). Annual subscription price in the USA US$ 1728.54 (subject to change), including air speed delivery. Application to mail at second class postage rate is pending at Jamaica, NY 11431.

USA POSTMASTERS: Send address changes to Discrete Mathematics, Publication Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Air freight and mailing in the USA by Publication Expediting.

0012-365X(1993)101/110;1-M